

# T4S—R6W. 2<sup>nd</sup> Mer.

6	377	5	377	4	377	3	368	2	367	1	362
376	376-377		376-377		376		368		366		
7	376	8	375	9	375	10	368	11	366	12	362
374	374-376		374-375		374		368		366		
18	374	17	374	16	374	15	368	14	366	13	361
373	373-374		373-374		373-374		368		366		
19	373	20	373	21	372	22	367	23	365	24	361
372	372		372		372		367		365		
30	371	29	371	28	371	27	367	26	365	25	361
370	370-370		370-371		370		364		364		
31	370	32	369	33	369	34	364	35	363	36	361
370	370		369		369		364		363		

# T5S—R6W. 2<sup>nd</sup> Mer

380	6	395	5	395	4	394	3	394	2	385	1	379
	393	393-395	393-395		394	394		384				
380	7	393	8	392	9	392	10	392	11	384	12	379
	393	391-393	391-392	391-392		392		384				
380	18	391	17	390	16	390	15	390	14	384	13	379
	391	389-391	389-391		390		390		383			
381	19	389	20	389	21	388	22	388	23	383	24	379
	389	387-389	388-389		388		388		383			
381	30	387	29	386	28	386	27	385	26	383	25	379
	387	387		386		386		385		383		
381	31	387	32	386	33	385	34	385	35	382	36	380
	381-382	381-382	381-382	381-382	381-382	381-382	381-382	381-382	382			

Township N<sup>o</sup> 5. South of Range N<sup>o</sup> 6. West of the 2<sup>nd</sup> Mer.

- South On the East side of Sec. 1. on E. Range line.  
 40. 00 Get a Post from which a Hickory 7 in. diam. bears N. 72. W.  
 5. lks. dist. & ditto 10 in. diam. bears S. 59. E. 22. lks. dist.  
 67. 80 A creek 20 lks. wide; Course W.  
 80. 00 Get Post corner to Sec. 1 & 12. T. 5. S. R. 6. W. from which  
 a W. Oak 20 in. diam. bears N. 9. W. 37 lks. dist. & a Hickory  
 11 in. diam. bears S. 8. W. 35. lks. dist. The first half is good  
 hill Land; 2<sup>nd</sup> half creek flats. Timber. Oak Elm &c. &c.

2<sup>nd</sup> Mile.

- South On the East side of Sec. 12.  
 40. 00 Get a Post from which a W. Oak 12 in. diam. bears S. 45. W. 8.  
 W. Oak 12 in. diam. bears N. 4. E. 21. lks. dist. good hill Land.  
 80. 00 Get Post corner to Sec. 12. & 13; from which a W. Oak 12 in.  
 diam. bears N. 20. lks. dist. & a B. Oak 20 in. diam. bears N.  
 37. W. 60. lks. dist. First half good hill Land. 2<sup>nd</sup> half  
 Brushy creek flats;

- South On East side of Sec. 13. T. 5. S. R. 6. W.  
 18. 30 A creek 35 lks. wide. course N. 45. W. Crossing it 5 times.  
 in going 17. chains?  
 40. 00 A Hickory 4 in. diam. for Q<sup>r</sup> Sec. Corner & a B. Oak 11.  
 in. diam. bears S. 14. E. 9. lks. dist.  
 80. 00 Get Post corner to Sec. 13. & 24. from which a B. Oak 11.  
 in. diam. bears S. 35. E. 32. lks. dist. & a B. Oak 11 in. in  
 diam. bears N. 17. W. 42 lks. dist. The 1<sup>st</sup> half mile is wet  
 creek flats. 2<sup>nd</sup> half rolling hill Land. Sept 25<sup>th</sup> 1805.

- South On the East side of Sec. 24.  
 40. 00 Get a half mile Post from which a Hickory 20 in. diam.  
 bears N. 76. W. 56. lks. dist. & a B. Oak 11 in. diam. bears S. 45. E. 5.  
 55. 00 Edge of a Brushy. Barren barrens.  
 80. 00 In barrens. no timber; All except the Barren, good hill Land.  
 Timber. Oak Hickory &c. Offset at the Post 10 chains.

- South On the East side of Sec. 25. T. 4. S. R. 6. W.  
 40. 00 Same on our line at a B. Oak 10 in. diam. for Q<sup>r</sup> Sec. corner.

S. 5 S. R. No 6. W. 2<sup>nd</sup> Mer.

59. 00 A Briery. Brushy. Barren.  
 67 60 A Run 15 lbs. wide; Course W.  
 80. 00 Set a Post from which a B. Jack 14 in. diam. bears N. 74.  
 W. 29 lbs. dist. & a B Oak 14 in. diam. bears S. 19. E. 19 lbs.  
 dist. Briery. Brushy Flat Land - no timber of consequence

- South On the East side of Sec 36. S. 5. S. R. 6. W.  
 40 00 Set a Post from which a W. Oak 11 in. diam. bears N. 2.  
 W. 42 lbs. dist. & a W Oak 11 in. diam. bears S. 2. E. 30 lbs.  
 50. 00 Set Post corner to Towns 5 & 6. S. R. 6. W. & Town 5.  
 & 6. R. 5. W. where a B Oak 36 in. diam. bears S. 71. W. 92.  
 lbs. dist. & a W Oak 36 in. diam. bears N. 25. E. 25 lbs. dist.  
 Good hill Land. Timber Oak &c. &c. Sept. 26. 1805.

- South On the West side of Sec. 6. on the West Range line.  
 40. 00 Set a Post from which a W. Oak 46 in. diam. bears N. 13  
 E 13 lbs. dist. & a W Oak 20 in. diam. bears S. 37. W. 30 lbs. dist.  
 50. 00 Set Post corner to Sec. 1. & 12. S. 5. S. R. 7. W. from which  
 a W Oak 11 in. diam. bears S. 45. E. 24 lbs. dist. & a Hick<sup>14</sup>  
 in. diam. bears N. 45. W. 50 lbs. dist. Good Flat Land.  
 on the First half mile 2<sup>nd</sup> half mile good hill Land;

- South On the West Side of Sec. 7. S. 5. S. R. 6. W.  
 31. 50 A Run 10 lbs. wide. Course N. 80. W.  
 40. 00 A Hickory 5 in. diam. for Sp. the corner. from which  
 a W Oak 16 in. diam. bears S. 12. W. 6 lbs. dist.  
 80. 00 Set Post corner to Sec. 12 & 13. S. 5. S. R. 7. W. from which  
 a W Oak 14 in. diam. bears S. 27. W. 57 lbs. dist. & a W Oak  
 14 in. diam. bears N. 69. E. 16 lbs. dist. Creek Flats &  
 mostly Oak Timber. 3<sup>rd</sup> rate Land.

- South West Side of Sec. 18. S. 5. S. R. 6. W.  
 40. 00 Set a Post from which a W Oak 13 in. diam. bears N. 38.  
 W. 21 lbs. dist. & a Hickory 7 in. diam. bears S. 25. E. 20 lbs.  
 54. 00 A Run 120 lbs. wide; Course E.  
 80. 00 Set a Post corner to Sec. 13 & 24. S. 5. S. R. 7. W. from  
 which a W Oak 14 in. diam. bears S. 57. E. 40 lbs. dist. &

## T. No 5. G. B. No 6. W. 2nd Mer.

A B. Oak 24 in. diam. bears N. 57. W. 26. lbs. Creek Flats.

South	On the West side of Sec. 19.
10. 00	Set a Post; from which a B. Oak 12 in. diam. bears N. 16. W. 20. lbs. dist. & a B. Oak 7 in. diam. bears S. 31. E. 31. lbs. dist.
80 00	Set a Post corner to Sec. 24 & 25. T. 5. G. B. 7. W. from which a Short Gum 24 in. diam. bears N. 57. W. 46. lbs. dist. & a G. Gum 24 in. diam. bears N. 84. E. 5. lbs. dist. Cold clay; Creek Flats; Timber Gum, Hickory, Oak, &c.

South	On the West side of Sec. 30 T. 5 G. B. 6. W.
18. 00	A Run 10. lbs. wide. Course S. W.
40. 00	Set a Post; from which a W. Oak 24 in. diam. bears N. 35. W. 23. lbs. dist. & a W. Oak 10 in. diam. bears S. 85. E. 13. lbs. dist.
51. 50	A Creek 150. lbs. wide Course N. 6. W.
80. 00	A Post; from which a W. Oak 16 in. diam. bears N. 40. W. 39. lbs. dist. & a G. Gum 7 in. diam. bears S. 60. E. 4. lbs. dist.

South	On the West side of Sec. 31. T. 5. G. B. 6. W.
10. 00	Set a Post from which an Elm 10 in. diam. bears S. 84. W. 9. lbs. dist. & a Hickory 5 in. diam. bears S. 59. E. 19. lbs. dist.
80. 00	Set a Post from which an Elm 20 in. diam. bears S. 18. E. 5. lbs. dist. & a W. Oak 18 in. diam. bears N. 74. W. 46. lbs. dist. This is Flat & Cold Land.

East	Between Towns 5. & 6. G., on a Random line;
40. 00	Set Temporary Post.
98. 88	Set Temporary Sec. Post. Brushy Land.
40. 00	Temporary G. Sec. Post.
80. 00	Set a Temporary Sec. Post.
22. 00	A Creek 25. lbs. wide; Course N.
40. 00	Set Temporary G. Sec. Post.
80. 00	Set a Temporary Sec. Post.
39. 80	A Creek 30. lbs. wide; Course N. 20. W.
40. 00	Set a temp. G. Sec. Post.
80. 00	Set a temporary Sec. Post. Land Hilley.
40. 00	Set a Temporary G. Sec. Post.



T. N 5 G. R. N 6. W. 2<sup>nd</sup> Mer.

50 00 Get a Temporary Sec. Post. brushy land.

40. 00 Get a Temporary G<sup>o</sup> Sec Post.

50. 90 Intersect Range line 70. lks. N of the Post. Sept. 29<sup>th</sup>.

West On Town line Between Towns 5. & 6. G. Sec 1 & 36.

40. 00 Get a Post, from which a B. Oak 12. in? diam? bears N. 2.

W. 48. lks. dist & a B. Oak 7. in? bears S. 19. E. 2. lks. dist

80. 00 Get a Post from which a W. Oak 14. in? diam? bears N. 4.

E. 9. lks. dist & a Birch 15. in? diam? bears S. 17. W. 13. lks. - Brushy

West Between Sec. 2. & 35. T. 5. S. R. 6. W.

40. 00 Get a G<sup>o</sup> Sec Post, from which a B. Oak 10. in? is corner tree.

80. 00 Get Post corner to Sec. 34. & 35. from which an R. Oak.

15. in? diam? bears N. 28. W. 33. lks. dist & a Hickory 10. in?

diam? bears S. 9. E. 41. lks. dist

West Between Sec. 36.

40. 00 Get a G<sup>o</sup> Sec Post, from which a W. Oak 14. in? diam? bears

N. 20. E. 24. lks. dist & a Gum 10. in? diam? bears S. 11. E. 20. lks.

80. 00 A W. Oak 36. in? diam? bears corner to Sec. 33. & 34. - is a

knotted & tree. Continued West.

40. 00 A W. Oak 7. in? diam? bears N. 70. E. 5. lks. dist. & a Gum

10. in? diam? bears N. 55. W. 30. lks. dist.

80. 00 An Elm 7. in? diam? bears S. 11. lks. dist. & a W. Oak 10. in?

diam? bears S. 2. E. 46. lks. dist. Continuing W.

40. 00 A Hickory 8. in? diam? bears to G<sup>o</sup> Sec. corner.

80. 00 A Mulberry 6. in? diam? is corner to Sec. 31. & 32. corner W.

40. 00 A Hickory 6. in? diam? bears N. 10. lks. dist & a Do. 8. in?

diam? bears S. 70. E. 100. lks. dist

98. 50 Town corner. Sept. 28.<sup>th</sup> 18.05.

North Between Sec. 35. & 36. T. 5. S. R. 6. W.

4. 50 A creek 50. lks. wide Course N. 10. E.

6. 50 A Do. " " " " N. W.

40. 00 A Hickory 30. in? diam? bears S. 11. lks. dist. & a Do. 16.

in? diam? bears N. 50. lks. dist.

48 00 A Creek 50. lks. wide Course W.

T. No 5. S. R. No 6. W. 2<sup>nd</sup> Mer.

65. 75	A Blazet trace. leading N. W.
80. 00	Get Post, Corner to Sec. 25. 26 35. & 36. A Hickory 8. in? diam. bears N. 15. W. 7. lbs. dist. & a Do. 15. in. diam. bears S 87. E. 25. lbs. dist. Good Upland & Creek flats.
East	Random between Sec. 25 & 36.
38. 00	A Creek 30. lbs. wide. Course S. 20. E.
40. 00	A Temporary Corner to G. Sec.
80. 00	47. lbs. S of the Post on the Range line. Brushy Land.
West	On true line.
40. 00	A Spanish Oak 15. in. diam. bears N. 2. E. 11. lbs. dist. & a S Oak 15. in. diam. bears South 11. lbs. dist.
North	Between Sec. 25. & 26 T. 5. S. R. 6. W.
40. 00	Get a Post, from which a W. Oak 8. in. diam. bears S. 12. W. 11. lbs. dist. & a Dogwood 8. in. diam. bears N. 47. W. 3 1/2.
80. 00	Get a Post, Corner to Sec. 23. 24. 25. & 26. from which a Dogwood 7. in. diam. bears S. 87. E. 11. lbs. dist. & a Do 5. in. diam. bears N 85. W. 21. lbs. dist. Rolling hill Land.
East	Between Sec. 24 & 25. on a Random line.
30. 00	Brushy Barrens 30. ch. wide.
40. 00	A Temporary Post.
80. 25	30. lbs. of the Post. on Range line; Brushy Land & Sec. 12. 1805.
West	On true line.
40. 12	Get a G. Sec Post; in barrens no timber for Post or bearings.
North	Between Sec. 23. & 24 T. 5. S. R. 6. W.
40. 00	Get a Post from which a W. Oak 20. in. diam. bears N. 3. E. 46. lbs. dist. & a Y. Oak 30. in. diam. bears S. 60. W. 27. lbs. dist.
80. 00	Get a Post Corner to Sec. 13. 14. 23. & 24 where a W. Oak 20. in. diam. bears N 3. E. 44 lbs. dist. & a W. Oak 12. in. diam. bears S. 45. W. 28. lbs. dist. Good Upland. Gentle hills. &c. Timber. Oak. Dogwood &c &c.
East	On Random line between Sec. 13. & 24.
40. 00	Get Temporary Post.

I p 5. I. R. p 6. W 2<sup>nd</sup> Mv.

80. 59 Intersected East Range line at Post. Good Upland.  
Gentle hills. &c. Timbers. Oak. &c.

West On true line

40. 29 Set a Post from which a B. Oak 36. in. diam. bears S. M. N. 38  
lbs. dist. & a Do 14 in. diam. bears N. 12. E. 46. lbs. Sept. 29. 1805

North Between Sec. 13. & 14. I 5. I. R. 6. W.

40. 00 Set a Post from which a Hickory 14. in. diam. bears S. 43.  
W. 52. lbs. dist. & a W. Oak 11. in. diam. bears N. 7. E. 39. lbs. dist.

50. 00 Set Post corner to Sec. 11. 12. 13. & 14. from which a W. Oak  
12. in. diam. bears S. 42. E. 11. lbs. dist. & a W. Oak 24. in. diam  
bears N. 76. W. 41. lbs. dist. Good hill Land; Gentle rises. Oak &c.

East Between Sec. 12. & 13. on a Random line; very Brushy.

40. 00 A Temporary Post.

50. 50 A creek 30. lbs. wide. Course N. W.

60. 00 A creek - - - Course S.

The Same creek - - - Course N. W.

80. 00 Hit the Post. Land &c. &c. the Same.

West On true line Between Sec. 12. & 13.

40. 00 Set a Post from which a B. Yack 10. in. diam. bears S. 82. E.  
24. lbs. dist. & a B. Yack 8. in. diam. bears N. 55. W. 21. lbs. dist.

North Between Sec. 11. & 12. I. 5. I. R. 6. W. Nov 13<sup>th</sup>.

19. 25 A creek 40. lbs. wide. Course N. 30. W.

40. 00 A Post from which a B. Oak 24. in. diam. bears South 11.  
lbs. dist. & a B. Oak 11. in. diam. bears N. 24. W. 40. lbs. dist.

70 45 A creek 18. lbs. wide; Course. N. W.

80. 00 Set a Post corner to Sec. 1. 2. M. & 12. From which a W. Oak  
12. in. diam. bears S. 85. E. 33. lbs. dist. & a Gum 10. in. diam. bears  
N. 84 W. 30. lbs. dist. Flat Creek bottom; Cold clay soil.

East Between Sec. 1. & 12. on a Random line.

30. 00 A creek 30. lbs. wide. Course S. W.

34. 00 The Same creek - - -

## T. 5. S. R. 6. W. 2nd Mer.

40. 00 Set Temporary G<sup>r</sup> Sec. Post.  
 80. 00 Intersected 36. lbs S. of the Post. Good hill Land. Timber. Oct 40.  
 West On true line  
 40. 00 A Maple 8. in? diam? is corner to G<sup>r</sup> Sec.

- North Between Sec. 1. & 2. T. 5. S. R. 6. W.  
 40. 00 Set a Post from which a B. Oak 18 in? diam? bears S. 46. E. 70. lbs. dist. & a B. Oak 18 in? diam? bears N. 25. W. 34. lbs. dist.  
 Good Upland.  
 79. 80 Intersected Town Boundary 250. lbs. N. of the Post. Set a Post from which a S. Gum 11 in? diam? bears S. 55. E. 12. lbs. dist. & a S. Gum 12 in? diam? bears N. 5. W. 27. lbs. dist.  
 Land the same as above.

- North Between Sec. 34 & 35. T. 5. S. R. 6. W.  
 40. 00 A Hickory 8 in? diam? bears N. 10. lbs. dist. & a Do 18 in? in diam? bears S. 11. E. 60. lbs. dist.  
 46. 00 A brush 40. lbs. wide. course E. & W. over rolling hill Land.  
 80. 00 A Elm 12 in? diam? corner to Sec. 26. 27. 34. & 35.  
 Land the same as above.

- East Between Sec. 26. & 35. on a Random line.  
 40. 00 A Temporary G<sup>r</sup> Sec. Post.  
 80. 00 Set a Post on the N. & S. line. Gentle hill Land.  
 West On true line.  
 40. 00 A Dogwood 6 in? diam? bears S. 10. lbs. dist. & a Do 6 in? in diam? bears North 60. lbs. dist.

- North Between Sec. 26. & 27. T. 5. S. R. 6. W.  
 40. 00 A B. Oak 24 in? diam? for G<sup>r</sup> Sec. corner & a B. Oak 24 in? diam? bears North 50. lbs. dist.  
 80. 00 Set Post corner to Sec. 22. 23. 26. & 27. from which a W. Oak 30 in? diam? bears S. 70. W. 7. lbs. dist. & an Elm 10 in? in diam? bears N. 68. E. 30. lbs. dist. — Good hill Land.

- North Between Sec. 33. & 34. T. 5. S. R. 6. W.  
 40. 00 A W. Oak 20 in? diam? bears North 15. lbs. dist. & a W. Oak.

J. Sp 5. G. B. Sp 6. W. 2<sup>nd</sup> Mer.

20 in. diam. bears S. 1. E. 50. lbs. dist

43. 00 A Creek 70. lbs. wide; Course W.

80. 00 A W. Oak 26. in. diam. is corner to 27. 28. 33. & 34. Land de.

East Between Sec. 27. & 34. J. 5. G. B. 6. W.

40. 00 A Temporary Off. Sec. Post.

80 76 20 lbs. S. of the Post. Land the same. Nov 14<sup>th</sup> 1805.

West On true line

40. 38 A B. Oak 20. in. diam. for Off. Sec. Corner.

80. 76 Sec. Corner.

North Between Sec. 27. & 28 J. 5. G. B. 6. W.

40. 00 A B. Oak 7. in. diam. bears N. 17. lbs. dist. & B. Oak 7. in. diam. bears S. 46. lbs. dist

42. 00 A Creek 40. lbs. wide. Course W.

80. 00 Set Post corner to Sec. 21. 22. 27. & 28. from which a W. Oak 15. in. diam. bears N. 3. W. 16. lbs. dist. & a W. Oak 18. in. in diam. bears S. 22. W. 26. lbs. dist. Gentle hills. &c.

North Between Sec. 32. & 33. J. 5. G. B. 6. W.

40. 00 A Hickory 7. in. diam. bears North 11. lbs. dist. & a B. 7. in. diam. bears S. 70. E. 49. lbs. dist. Creek Flats &c.

80. 00 Set Post corner to Sec. 28. 29. 32. & 33. from which an Ash 14. in. diam. bears N. 31. W. 40. lbs. dist. & an Ash 12 lbs. diam. bears S. 62. E. 60. lbs. dist. 2<sup>nd</sup> half the same. Creek Flats &c.

East Between Sec. 28. & 33. on a Random line.

40 00 Set Temporary Off. Sec. Post

68. 50 A Creek 90. lbs. wide. Course N. 30. W.

80. 50 N. & S. line 36. lbs. S. of the Post. Creek Flats & gentle hills.

West On true line.

40. 00 Set a Post from which a W. Oak - in. diam. bears N. 3. E. 14 lbs. dist. & a W. Oak 8. in. diam. bears S. 7. E. 20. lbs. dist.

North Between Sec. 28. & 29. J. 5. G. B. 6. W.

20. 00 A Creek 200. lbs. wide Course W.



T. 5. S. R. 6. W. 3<sup>rd</sup> Mer.

39. 00 The same creek course E.  
 40. 00 Set of Gr. Post in creek.  
 44. 00 The same creek course E.  
 50. 00 A creek 70. lks. wide course W.  
 54. 00 A Swamp 190. lks. wide. Course -  
 80. 00 A W. Oak 4. in. diam. is corner to Sec. 20. 21. 28. & 24 from  
 which a W. Oak 8. in. diam. bears N. 40. E. 29. lks. dist. Low. &  
 Swampy Land. Timber Hickory Sycamore. Ash &c.

- North Between Sec. 31. & 32. T. 5. S. R. 6. W.  
 40. 00 A W. Oak 16. in. diam. bears South 16. lks. dist. & a W. Oak 11. in.  
 diam. bears S. 1. E. 11. lks. dist.  
 80. 00 Post set in the creek 180. lks. wide. course N. 89. W.  
 Gentle hills & creek flats.

- East Between Sec. 29. & 32. on a Random line.  
 22. 00 A creek 90. lks. wide, course N. W.  
 40. 00 A Temporary Post.  
 80. 00 Hit the Post on the N. & E. line. Land the same Nov. 15. 1805.  
 West On true line  
 40. 00 A W. Oak 10. in. diam. bears S. 17. lks. dist. & a W. Oak 17. in. in  
 diam. bears S. 1. E. 11. lks. dist.

- North Between Sec. 29. & 30 T. 5. S. R. 6. W.  
 40. 00 A W. Oak 20. in. diam. for Gr. corner; & a W. Oak 20. in. in  
 diam. bears S. 5. W. 78. lks. dist.  
 80. 00 A W. Oak 4. in. diam. is corner to Sec. 19. 20. 29. & 30.  
 Land & Timber the same as above.

- West Between Sec. 30. & 31. T. 5. S. R. 6. W.  
 34. 50 A creek 120 lks. wide. course S. 80. W.  
 40. 00 A Gum 4. in. diam. for Gr. corner.  
 73. 00 A creek 200 lks. wide; course N. 20. W.  
 98. 00 Intersected Range line 47. lks. E. of the Post & a Gum 8. in.  
 diam. bears is corner to Sec. 30. & 31. Land the same as above.

- East Between Sec. 20. & 29. on a Random line.

## T. 5. S. R. No 6. W. 2nd Mer.

40. 00 Temporary Off Gr. Post.  
 52 00 A Creek 150 lbs. wide; Course S. 20. W.  
 79. 25 Hit the Post on the N. & S. line Land the same as above.

- East Random line Between Grs. 21. & 28.  
 40. 00 A Temporary Off Gr. Post.  
 80. 00 17. lbs S. of the Post. Land the same as above; Nov 16. 1805.

- East Random line Between Grs. 22. & 27.  
 37. 00 A Creek 30. lbs. wide; Course S. W.  
 40. 00 Temporary Off Gr. Post.  
 79. 00 27. lbs S. of the Post. on the N. & S. line.

- East Random line Between Grs. 23. & 26.  
 40. 00 Temporary Off Gr. Post.  
 79 00 49. lbs. S. of the Post. on the N. & S. line. Gentle hills.  
 Similar. Oak & Hickory.  
 West On true line  
 39. 50 A Mulberry 9. in. diam. for Off Gr. Corner.

- North Between Grs. 22. & 23. T. 5. S. R. No 6. W.  
 40. 00 A Dogwood 6. in. diam. bears S. 1. E. 15. lbs. dist. & a Do 6. in. diam. bears S. 2. W. 40. lbs. dist. Good hill Land.  
 80. 00 Set Post corner to Grs. 14. 15. 22. & 23. from which a Oak 30. in. diam. bears N. 1. E. 15. lbs. dist. & a W. Oak 18. in. in diam. bears S. 74. W. 19. lbs. dist. Rolling Land.

- West On true line Between Grs. 22. & 27.  
 39. 50 An Elm . 5. in. diam. bears North 12 lbs. dist. & an Elm 10. in. diam. bears N. 2. E. 69. lbs. dist.

- North Between Grs. 21. & 22. T. 5. S. R. No 6. W.  
 40. 00 A Elm 10. in. diam. for Off Gr. Corner & an Elm 11. in. in diam. bears S. 1. E. 60. lbs. dist. Inmate hill Land Oak, Dogwood &c.  
 80. 00 Set Post corner to Grs. 15. 16. 21. & 22. from which a Mulberry 12. in. diam. bears N. 14. W. 26. lbs. dist. & a Dogwood 7. in. diam. bears S. 18. E. 24. lbs. dist. Set half Bireys.

West On true line between Sec. 21. & 28. T. 5 S. R. 6. W.  
40. 00 A Off. Sec. Post from which a W. Oak 24 in. diam. bears S. 57. E.  
20. lbs. dist. & a Hickory 10 in. diam. bears N. 5. E. 59. lbs. dist.

North Between Sec. 20. & 21.  
40. 00 A Dogwood 6 in. diam. bears S. 1. E. 14 lbs. dist. & a Do 7 in. in  
diam. bears S. 4. M. 79 lbs. dist. Gentle hills  
50. 00 Set Post corner to Sec. 16. 17. 20. & 21. from which a Sassafras  
20 in. diam. bears S. 86. W. 16 lbs. dist. & a Hickory 12 in. in  
diam. bears N. 87. E. 14 lbs. dist. Gentle hills.

West On true line Between Sec. 20. & 29. T. 5 S. R. 6. W.  
39. 84 A W. Oak 9 in. diam. bears S. 10. W. 11 lbs. dist. & a W. Oak 16 in.  
diam. bears N. 1 E. 46 lbs. dist. Nov 17. 1865.

North Between Sec. 19. & 20. T. 5 R. 6.  
40. 00 A W. Oak 18 in. diam. bears N. M. lbs. dist. & a W. Oak 18 in. in  
diam. bears S. 10. W. 69 lbs. dist.  
71. 50 A Creek 60 lbs. wide. Course E.  
80. 00 A Sassafras 4 in. diam. is corner to Sec. 17. 18. 19. & 20. & a  
Sassafras 6 in. diam. bears N. 2. E. 16 lbs. dist. Gentle hills.

West Between Sec. 19. & 30.  
40. 00 A W. Oak 20 in. diam. bears N. M. lbs. dist. & a W. Oak 40 in. in  
diam. bears S. 60. E. 40 lbs. dist.  
98. 90 Hit the Post. on Range line Gentle hills.

East Between Sec. 17. & 20. T. 5 S. R. 6. W.  
8. 00 A Creek 150 lbs. wide; course N.  
40. 00 Set temporary Off. Sec. Post.  
62. 00 A Creek 200 lbs. wide; course S.  
73. 00 A Creek 200 lbs. wide; course N. 20. W.  
80. 00 Hit the Post. Low Swampy Ground Timber Oak & Hickory.

East Between Sec. 16. & 21. on a Ransom line. This line run  
5 ch. in a Creek. 20 lbs. dist. Left it running N. 20. W.  
40. 00 Set a temporary Off. Sec. Post

T. No 5. S. Co. No 6. No 2<sup>nd</sup> Mer.

80 38 Mt. Port corner to Sec. 15. 16. 21. & 22. Land the same.

East Random between Sec. 15. & 22. T. 5 S. Co. 6. W.  
 40. 00 Get a temporary G. Sec. Port.  
 80. 00 78 lbs. S. of the Port. Gentle hills; Timber Oak & Hick<sup>14</sup>.

East Random line Between Sec. 11. & 23.  
 40. 00 A temporary G. Sec. Port.  
 79. 00 15 lbs. S. of the Port. on the N & S line; Land the same as above  
 West On true line.  
 39. 50 A Dogwood 6 in. diam. bears N. 11 lbs. dist. & a Do 6 in. in  
 diam. bears S. 69. W. 67 lbs. dist.  
 79. 00 To Sec. corner.

North Between Sec. 14. & 15. T. 5 S. Co. 6. W.  
 40. 00 The G. Sec. Port. fell in burnt land, no timber for bearings  
 80. 00 A B. Oak 10 in. diam. corner to Sec. 10. 11. 14 & 15. Land hilly

West On true line Between Sec. 15. & 22.  
 40. 00 A Dogwood 6 in. diam. bears North 11 lbs. dist. & a Do 6 in. in  
 diam. bears S. 69. W. 67 lbs. dist. Jan 18<sup>th</sup> 1805.

North Between Sec. 15. & 16. T. 5. S. Co. 6. W.  
 40. 00 A Gum 5 in. diam. for G. Sec. corner  
 80. 00 1st Port corner to Sec. 9. 10. 15. & 16. from which a W. Oak 12 in.  
 in. diam. bears S. 62. E. 29 lbs. dist. & a W. Oak 20 in. diam.  
 bears N. 62. W. 25 lbs. dist. 2<sup>nd</sup> rate hill Land.

West Between Sec. 16. & 21. on true line  
 41. 19 A Hickory 18 in. diam. bears West 11 lbs. dist. & a Do 11 in.  
 in. diam. bears S. 60. E. 75 lbs. dist.

North Between Sec. 16. & 17. T. 5. S. Co. 6. W.  
 31. 00 A creek 180 lbs. wide; course W.  
 38. 00 A creek. - - - - -  
 40. 00 Get G. Sec. Port. where a B. Elder 5 in. diam. bears N. 13 lbs. dist.  
 41. 50 The same creek. &c &c. -

- 42 50 A Swamp 200. lbs. wide  
 66. 50 A Creek 50. lbs. wide Course E. in 3 ch. & 50. lbs. drops the same  
 creek twice more  
 80 00 Set Post corner to Sec? 8, 9. 16. & 17. from which a W. Oak 18.  
 in? diam. bears N. 6. E. 43. lbs. dist. & a W. Oak 36. in? diam.  
 bears S. 37. W. 29. lbs. dist. Swampy Land. Timber Hick. & Elm &c &c.

---

West On true line Between Sec? 17. & 20. T. 5. T. Co. 6. W.  
 40. 00 A B. Oak 20. in? diam. for Q. Sec. corner

- 
- North Between Sec? 17. & 18. T. 5. &c.  
 40. 00 A Spanish Oak 20. in? diam. bears S. 11. lbs. dist. & a Span<sup>d</sup> Oak  
 20 in? diam. bears N. 40. lbs. dist.  
 50. 00 A Hickory 6. in? diam. bears North 14. lbs. dist. & a Do 6. in?  
 diam. bears N. 80. W. 46. lbs. dist. - Gentle hills.

- 
- West Between Sec? 18. & 19. T. 5. T. Co. 6. W. Nov 19. 1805.  
 40. 00 A W. Oak 10. in? diam. for Q. Sec. corner. & a W. Oak 10.  
 in? diam. bears S. 2. E. 11. lbs. dist.  
 72. 00 A Creek 150 lbs. wide; Course S.  
 98. 25 Intersecting Range line 90. lbs. S. of the Post. where an Elm 9.  
 in? diam. bears is corner to Sec? 18. & 19. Swampy Land

- 
- East Random line between Sec? 8. & 17.  
 40. 00 A Temporary Q. Sec. Post.  
 50. 00 A Creek 40. lbs. wide Course S. 20. E.  
 71. 50 A Brook 8. lbs. wide, Course S. 20. E. good water.  
 80. 00 Hit the Post on the N. & S. line. Hills &c. Oak &c. Timber.

- 
- East Between Sec? 9. & 16. on a Random line.  
 17. 50 A Creek 200 lbs. wide. Course S. 11 E.  
 28. 00 Out the S. edge of a Creek, 200. lbs. wide. bears N. 30. W.  
 60 00 A Creek 20. lbs. wide Course S. good water.  
 80 00 Hit the Post on line N. & S. line Gentle hills. Oak. timber

- 
- East Between Sec? 10. & 15. on a Random line.  
 40. 00 Temporary Q. Sec. Post.



T. No 5 S. No 6. W. 3<sup>rd</sup> Mer.

63. 00 A Brook 20. lbs. wide, course N. good water.  
 80. 00 20. lbs. N. of the Post on the N & S line. Land same as above

- East Random Between Sec. 11. & 14. T. 5 S. No. 6. W.  
 40. 00 A Temporary Off Sec Post.  
 41. 00 A Brook 20. lbs. wide; course N. good water.  
 80. 00 Set the Post on the N. & S line. Brushy Land; fallen timber.  
 West On true line.  
 40. 00 A Maple 10. in. diam. bears S. 10. N. 11. lbs. dist. & a Maple  
 10. in. diam. bears S. 11. E. 49. lbs. dist.

- North Between Sec. 10. & 11.  
 40. 00 A Dogwood 7. in. diam. bears N. 11. lbs. dist. Gentle hills Oak.  
 80. 00 Set Post corner to Sec. 2. 3. 10. & 11. from which an Oak 30. in.  
 diam. bears N. 3. W. 24. lbs. dist. & a W. Oak 20. in. diam. bears S. 45.  
 W. 20. lbs. dist. Low bold Land.

- West On true line Between Sec. 10. & 15. T. 5. S. No. 6. W.  
 40. 00 A Dogwood 5. in. diam. bears North 10. lbs. dist. & a Do 7. in.  
 diam. bears S. 76. N. 80. lbs. dist.  
 80. 00 Section Post. Nov 20<sup>th</sup> 1805.

- North Between Sec. 9. & 10.  
 40. 00 A W. Oak 18. in. diam. for Off Sec. corner.  
 48. 00 Just the Bend of a Creek 200. lbs. wide; bears S. 80. W.  
 80. 00 Set Post corner to Sec. 3. 4. 9. 10. from which a W. Oak 14.  
 in. diam. bears S. 29. E. 22. lbs. dist. & a W. Oak 8. in. diam.  
 bears N. 18. W. 28. lbs. dist. Gentle hill Land. Oak. Hickory  
 & Dogwood Timber.

- West On true line Between Sec. 9. & 16.  
 40. 00 A Gum 9. in. diam. bears South 10. lbs. dist. & a Gum 10.  
 in. diam. bears N. 16. E. 64. lbs. dist.

- North Between Sec. 8. & 9. T. 5. S. No. 6. W. Low Cold Land.  
 40. 00 A Hickory 9. in. diam. bears S. 6. lbs. dist. & a Hickory 11. in.  
 diam. bears N. 10. E. 84. lbs. dist. Gentle hills. Timber Elm &

T. N. 5. S. R. N. 6. W. 2<sup>nd</sup> Mer.

80. 00 Set Post corner to Sec. 4. 5. 8. 9. from which a W. Oak 24. in. diam. bears N. 43. W. 14. lbs. dist. Wet Cold Flat Land.

West On true line Between Sec. 8. & 17. T. 5. S. R. 6. W.

40. 00 A W. Oak 17. in. diam. bears S. 6 lbs. dist. & a W. Oak 11. in. in diam. bears S. 11. E. 78. lbs. dist.

North Between Sec. 7 & 8. T. 5. S. R. 6. W.

40. 00 A W. Oak 18. in. diam. bears S. 6 lbs. dist. & a W. Oak 19. in. diam. bears S. 13. E. 46. lbs. dist.

80. 00 Set Post corner to Sec. 5. 6. 7. & 8. from which a B. Oak 12. in. diam. bears S. 55. E. 11. lbs. dist. & an Elm 4. in. diam. bears S. 75. W. 17. lbs. dist. 2<sup>nd</sup> rate Upland.

West Between Sec. 7. & 18.

40. 00 A Maple 15. in. diam. is Corner to Q<sup>r</sup>. Sec.

98. 30 Fall 29. lbs. N. of the Post. on Range line. & W. Oak 40. in. diam. is Corner to Sec. 7. & 18.

West Between Sec. 6. & 7.

40. 00 Set Q<sup>r</sup>. Sec. Post. from which a W. Oak 12. in. diam. bears S. 15. W. 28. lbs. dist. & a Dogwood 8. in. diam. bears N. 26. E. 16. lbs. dist.

98. 00 Intersected Range line 30. lbs. S. of the Post. Set Post corner to Sec. 6. & 7. from which a W. Oak 10. in. diam. bears N. 58. E. 18. lbs. dist. & a W. Oak 12. in. diam. bears S. 77. W. 18. lbs. dist. 2<sup>nd</sup> rate Land.

East Random Between Sec. 5. & 8. T. 5. S. R. 6. W.

29. 00 A creek 40 lbs wide, course S.

40. 00 Set Temporary Q<sup>r</sup>. Sec. Post.

80. 10 20. lbs. N. of Post. 2<sup>nd</sup> rate Land. Nov 21<sup>st</sup> 1805.

East Between Sec. 4. & 9. on a Random line.

40. 00 Set Temporary Q<sup>r</sup>. Sec. Post.

67. 50 A creek 150 lbs. wide course S.

80. 00 Hit Post on the N. & S. line. Swampy Land.



T. 5. S. R. 6. W. 2<sup>nd</sup> Mer.

West On true line. Between Sec. 4 & 9.  
40. 00 A W. Oak 10 in. diam. for Gt. Sec. Corner.

North Between Sec. 4 & 5. T. 5. S. R. 6. W.  
40. 00 A B. Oak 14 in. diam. bears S. 14 lbs. dist. & a W. Oak.  
16 in. diam. bears N. 10. W. 46. lbs. dist. Rolling hill Land.  
79. 89 Intersecting Town line 275. lbs. W. of the Post. where a W.  
Oak 14 in. diam. bears N. 83. E. 35. lbs. dist. & a W.  
Oak 15 in. diam. bears N. 71. W. 27. lbs. dist. from the  
corner to Sec. 4 & 5. Wet Land.

West On true line Between Sec. 5 & 8. T. 5. S. R. 6. W.  
40. 05 Gt. Gt. Sec. Post. from which a Hickory 18 in. diam.  
bears South 14 lbs. dist. & a Do. 11 in. diam. bears N. 10.  
E. 44. lbs. dist.

North Between Sec. 5 & 6.  
40. 00 Gt. Gt. Sec. Post. from which a Red Oak 18 in. diam.  
bears N. 45. W. 30. lbs. dist. Van Elm 10 in. diam. bears  
S. 48. E. 46. lbs. dist.  
79. 30 Town line 275. lbs. West of the Post. Gt. Post. Corner  
to Sec. 5 & 6. T. 5. S. R. 6. W. from which a Gum 10.  
in. diam. bears S. 66. E. 35. lbs. dist. & a Maple 12 in. in  
diam. bears N. 30. W. 44 lbs. dist. Good Upland.  
Nov 23. a 1805.

Surveyed by Augustus Stone.

I Certify that the foregoing transcript of field notes of Township  
N. 5 South of Range N. 6 West 2<sup>nd</sup> Mer. Indiana, has been com-  
pared with the original notes in this office, and found to be correct.

Surveyor General's Office

Cincinnati, Oct. 1<sup>st</sup> 1839

E. S. Leaning Sur. Genl.